


# BODY DIMENSION DRAWINGS

## ENGINE COMPARTMENT

(Three-Dimensional Distance)



Height from Imaginary Standard Line

A, a	C, c	M, m
692 (27.24)	825 (32.48)	623 (24.53)

Vehicle Dimensions

B-b	B-D or b-D	C-m or c-M	D-E	D-e	K-k	N-n	N-O or n-o	N-o or n-O
1,023 (40.28)	513 (20.20)	1,294 (50.94)	826 (32.52)	810 (31.89)	1,437 (56.57)	1,409 (55.47)	232 (9.13)	1,413 (55.63)

HINT: For symbols, capital letters indicate right side of vehicle,  
small letters indicate left side of vehicle (Seen from rear).

mm (in.)

Symbol	Name	Hole dia.	Symbol	Name	Hole dia.
A, a	Radiator upper support standard hole	10 (0.39)	H, h	Radiator support standard hole	15 (0.59)
B, b	Front spring support hole-inner	11 (0.43)	I	Hood lock support installation nut	6 (0.24) nut
C, c	Hood hinge installation nut	8 (0.31) nut	J, j	Front bumper reinforcement installation bolt	8 (0.31) bolt
D	Cowl top outer panel installation nut	6 (0.24) nut	K, k	Front fender extension standard hole	7 (0.28)
E, e	Front side member standard hole	18 (0.71)	L, l	Radiator upper center support installation nut	6 (0.24) nut
F	Front side member standard hole	12 (0.47)	M, m	Radiator upper center support installation nut	6 (0.24) nut
f	Engine mounting installation nut	10 (0.39) nut	N, n	Front fender installation nut	6 (0.24) nut
G, g	Radiator support standard hole	10 (0.39)	O, o	Front fender installation nut	6 (0.24) nut