| | | |
|---|---|---|
| **Last Modified:** 03-12-2013 | 6.4 F | **Doc ID:** NM1000000005GEE |
| **Model Year:** 2013 | **Model:** RAV4 | **Prod Date Range:** [12/2012 - ] |
| **Title:** SEAT: SEAT ASSEMBLY: REAR SEAT; 2013 MY RAV4 [12/2012 - ] | | |

# REAR SEAT

## 1. CONSTRUCTION

(a) Design

(1) Similar to the front seat, the seat surface angle of the seat cushion has been increased by 2 degrees to increase holding performance in the front and rear directions. The shape of the sides has been made more upright to increase holding performance in the right and left directions. The posture holding performance of the seat is enhanced, thus taking into account a comfortable ride.




| | | | |
|---|---|---|---|
| *a | A - A Cross Section | *b | B - B Cross Section |

(b) Function

(1) The reclining lever is positioned on the side of the seat cushion, thus taking into account operability.

| | | | |
|---|---|---|---|
| *1 | Reclining Lever | - | - |

(2) A folding headrest is used for the left rear seat. When the button on the side of the headrest is pressed, the headrest is folded forward and rearward visibility from the drvier seat is ensured.




| | | | |
|---|---|---|---|
| *1 | Headrest | - | - |
| *a | Push | - | - |

(3) The cup holders in the rear center armrest are arranged horizontally, thus taking into account usability.




0

| | | | |
|---|---|---|---|
| *1 | Rear Center Arm Rest | *2 | Cup Holder |